



M46x0.75 INTERNAL  
THREAD

FOCAL: 400.0mm  
 WORKING DISTANCE: 359mm  
 OBJECT COVERAGE: 100.0mm - 14.22mm (LOW - HIGH MAG)  
 DISTORTION: 0.26% - -0.5%  
 OBJ NA: 0.008 - .024  
 WAVELENGTH: VIS: 430 - 670nm  
                   VNIR: 430 - 1000nm  
                   SWIR: 900 - 1700nm  
 TRANSMISSION: 94.3% (445-655nm VIS)  
                   93.5% (445-950nm VNIR)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		<b>PROPRIETARY AND CONFIDENTIAL</b>  THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF NAVITAR. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF NAVITAR IS PROHIBITED.		
SCALE:	1:1			
WEIGHT:	0.42 lbmass			
DR BY:	C. Byler			
CH BY:	DEROSA			
PROJECT #:	E3556			
DATE DR:	8/23/2017	<b>LENS, 0.25X LENS ATTACHMENT</b>		
DO NOT SCALE DRAWING				
 SHEET 2 OF 2		SIZE	PART NUMBER	REV
		<b>A</b>	<b>1-81201</b>	<b>A</b>